
11 Augmenting Path Algorithms

Greedy-algorithm:

- ightharpoonup start with f(e) = 0 everywhere
- find an s-t path with f(e) < c(e) on every edge
- augment flow along the path
- repeat as long as possible



∐∐∐ Ernst Mayr, Harald Räcke

11. Apr. 2018 400/429

Augmenting Path Algorithm

Definition 1

An augmenting path with respect to flow f, is a path from s to tin the auxiliary graph G_f that contains only edges with non-zero capacity.

Algorithm 1 FordFulkerson(G = (V, E, c))


- 1: Initialize $f(e) \leftarrow 0$ for all edges.
- 2: while \exists augmenting path p in G_f do
- augment as much flow along p as possible.

The Residual Graph

From the graph G = (V, E, c) and the current flow f we construct an auxiliary graph $G_f = (V, E_f, c_f)$ (the residual graph):

- ▶ Suppose the original graph has edges $e_1 = (u, v)$, and $e_2 = (v, u)$ between u and v.
- G_f has edge e'_1 with capacity $\max\{0, c(e_1) f(e_1) + f(e_2)\}$ and e_2' with with capacity $\max\{0, c(e_2) - f(e_2) + f(e_1)\}$.





Ernst Mayr, Harald Räcke

11.1 The Generic Augmenting Path Algorithm

11. Apr. 2018

Ernst Mayr, Harald Räcke

401/429

Augmenting Path Algorithm

Animation for augmenting path algorithms is only available in the lecture version of the slides.

Augmenting Path Algorithm

Theorem 2

A flow f is a maximum flow **iff** there are no augmenting paths.

Theorem 3

The value of a maximum flow is equal to the value of a minimum cut.

Proof.

Let f be a flow. The following are equivalent:

- **1.** There exists a cut A such that $val(f) = cap(A, V \setminus A)$.
- **2.** Flow f is a maximum flow.
- **3.** There is no augmenting path w.r.t. f.

 \Box



11.1 The Generic Augmenting Path Algorithm

11. Apr. 2018 404/429

Augmenting Path Algorithm

$$val(f) = \sum_{e \in out(A)} f(e) - \sum_{e \in into(A)} f(e)$$
$$= \sum_{e \in out(A)} c(e)$$
$$= cap(A, V \setminus A)$$

This finishes the proof.

Here the first equality uses the flow value lemma, and the second exploits the fact that the flow along incoming edges must be 0 as the residual graph does not have edges leaving A.

Augmenting Path Algorithm

 $1. \Rightarrow 2.$

This we already showed.

 $2. \Rightarrow 3.$

If there were an augmenting path, we could improve the flow. Contradiction.

- $3. \Rightarrow 1.$
 - Let *f* be a flow with no augmenting paths.
 - Let A be the set of vertices reachable from s in the residual graph along non-zero capacity edges.
 - ▶ Since there is no augmenting path we have $s \in A$ and $t \notin A$.

Ernst Mayr, Harald Räcke

11.1 The Generic Augmenting Path Algorithm

11. Apr. 2018

405/429

Analysis

Assumption:

All capacities are integers between 1 and C.

Invariant:

Every flow value f(e) and every residual capacity $c_f(e)$ remains integral troughout the algorithm.

Lemma 4

The algorithm terminates in at most $val(f^*) \leq nC$ iterations, where f^* denotes the maximum flow. Each iteration can be implemented in time O(m). This gives a total running time of $\mathcal{O}(nmC)$.

Theorem 5


If all capacities are integers, then there exists a maximum flow for which every flow value f(e) is integral.

11.1 The Generic Augmenting Path Algorithm

408/429

Ernst Mayr, Harald Räcke

Problem: The running time may not be polynomial.




Question:

Can we tweak the algorithm so that the running time is polynomial in the input length?

> See the lecture-version of the slides for the animation.

A Bad Input

Problem: The running time may not be polynomial.



Ouestion:

Can we tweak the algorithm so that the running time is polynomial in the input length?

Let $r = \frac{1}{2}(\sqrt{5} - 1)$. Then $r^{n+2} = r^n - r^{n+1}$.




11.1 The Generic Augmenting Path Algorithm

11. Apr. 2018 409/429

Ernst Mayr, Harald Räcke

A Pathological Input

A Bad Input



Ernst Mayr, Harald Räcke

11.1 The Generic Augmenting Path Algorithm

11. Apr. 2018 411/429

See the lecture-version of the slides for

the animation.

11.1 The Generic Augmenting Path Algorithm

11. Apr. 2018 410/429

Running time may be infinite!!!

🖳 📗 Ernst Mayr, Harald Räcke

How to choose augmenting paths?

- ▶ We need to find paths efficiently.
- We want to guarantee a small number of iterations.

Several possibilities:

- Choose path with maximum bottleneck capacity.
- ▶ Choose path with sufficiently large bottleneck capacity.
- Choose the shortest augmenting path.

11.1 The Generic Augmenting Path Algorithm

11. Apr. 2018 412/429

Ernst Mayr, Harald Räcke

Overview: Shortest Augmenting Paths

These two lemmas give the following theorem:

Theorem 8

The shortest augmenting path algorithm performs at most $\mathcal{O}(mn)$ augmentations. This gives a running time of $\mathcal{O}(m^2n)$.

Proof.

- We can find the shortest augmenting paths in time $\mathcal{O}(m)$ via BFS.
- \triangleright $\mathcal{O}(m)$ augmentations for paths of exactly k < n edges.

Overview: Shortest Augmenting Paths

Lemma 6

The length of the shortest augmenting path never decreases.

Lemma 7

After at most O(m) augmentations, the length of the shortest augmenting path strictly increases.

Ernst Mayr, Harald Räcke

11.2 Shortest Augmenting Paths

11. Apr. 2018


413/429

Shortest Augmenting Paths

Define the level $\ell(v)$ of a node as the length of the shortest s-v path in G_f .

Let L_G denote the subgraph of the residual graph G_f that contains only those edges (u, v) with $\ell(v) = \ell(u) + 1$.

A path P is a shortest s-u path in G_f if it is a an s-u path in L_G .



11.2 Shortest Augmenting Paths

11. Apr. 2018 414/429

11.2 Shortest Augmenting Paths Ernst Mayr, Harald Räcke

11. Apr. 2018 415/429 In the following we assume that the residual graph G_f does not contain zero capacity edges.

This means, we construct it in the usual sense and then delete edges of zero capacity.



11.2 Shortest Augmenting Paths

11. Apr. 2018 416/429


Shortest Augmenting Path

Second Lemma: After at most m augmentations the length of the shortest augmenting path strictly increases.

Let E_L denote the set of edges in graph L_G at the beginning of a round when the distance between s and t is k.

An s-t path in G_f that uses edges not in E_L has length larger than k, even when considering edges added to G_f during the round.

In each augmentation one edge is deleted from E_L .



Shortest Augmenting Path


First Lemma:

The length of the shortest augmenting path never decreases.

After an augmentation G_f changes as follows:

- ▶ Bottleneck edges on the chosen path are deleted.
- ▶ Back edges are added to all edges that don't have back edges so far.

These changes cannot decrease the distance between s and t.



Shortest Augmenting Paths

Theorem 9

The shortest augmenting path algorithm performs at most O(mn) augmentations. Each augmentation can be performed in time O(m).

Theorem 10 (without proof)

There exist networks with $m = \Theta(n^2)$ that require O(mn)augmentations, when we restrict ourselves to only augment along shortest augmenting paths.

Note:

There always exists a set of m augmentations that gives a maximum flow (why?).

Shortest Augmenting Paths

When sticking to shortest augmenting paths we cannot improve (asymptotically) on the number of augmentations.

However, we can improve the running time to $\mathcal{O}(mn^2)$ by improving the running time for finding an augmenting path (currently we assume $\mathcal{O}(m)$ per augmentation for this).

| | | | | | | | Ernst Mayr, Harald Räcke

11.2 Shortest Augmenting Paths

11. Apr. 2018 420/429

Suppose that the initial distance between s and t in G_f is k.

 E_L is initialized as the level graph L_G .

Perform a DFS search to find a path from s to t using edges from E_{L} .

Either you find t after at most n steps, or you end at a node vthat does not have any outgoing edges.

You can delete incoming edges of v from E_L .

Shortest Augmenting Paths

We maintain a subset E_L of the edges of G_f with the guarantee that a shortest s-t path using only edges from E_L is a shortest augmenting path.

With each augmentation some edges are deleted from E_L .

When E_L does not contain an s-t path anymore the distance between s and t strictly increases.

Note that E_L is not the set of edges of the level graph but a subset of level-graph edges.

Ernst Mayr, Harald Räcke

11. Apr. 2018

421/429

Let a phase of the algorithm be defined by the time between two augmentations during which the distance between s and tstrictly increases.

11.2 Shortest Augmenting Paths

Initializing E_L for the phase takes time $\mathcal{O}(m)$.

The total cost for searching for augmenting paths during a phase is at most $\mathcal{O}(mn)$, since every search (successful (i.e., reaching t) or unsuccessful) decreases the number of edges in E_L and takes time $\mathcal{O}(n)$.

The total cost for performing an augmentation during a phase is only $\mathcal{O}(n)$. For every edge in the augmenting path one has to update the residual graph G_f and has to check whether the edge is still in E_L for the next search.

There are at most n phases. Hence, total cost is $\mathcal{O}(mn^2)$.

11.2 Shortest Augmenting Paths

11. Apr. 2018

422/429

11.2 Shortest Augmenting Paths

11. Apr. 2018

How to choose augmenting paths?

- ▶ We need to find paths efficiently.
- ▶ We want to guarantee a small number of iterations.

Several possibilities:

- Choose path with maximum bottleneck capacity.
- Choose path with sufficiently large bottleneck capacity.
- ► Choose the shortest augmenting path.

Ernst Mayr, Harald Räcke

11.3 Capacity Scaling

11. Apr. 2018

424/429

5:

```
Algorithm 2 maxflow(G, s, t, c)
```

2: $\Delta \leftarrow 2^{\lceil \log_2 C \rceil}$

3: while $\Delta \geq 1$ do

while there is augmenting path P in $G_f(\Delta)$ **do**

 $f \leftarrow \operatorname{augment}(f, c, P)$ 6:

 $update(G_f(\Delta))$


 $\Delta \leftarrow \Delta/2$

9: return f

Capacity Scaling

Intuition:

- ▶ Choosing a path with the highest bottleneck increases the flow as much as possible in a single step.
- ▶ Don't worry about finding the exact bottleneck.
- ightharpoonup Maintain scaling parameter Δ .
- $G_f(\Delta)$ is a sub-graph of the residual graph G_f that contains only edges with capacity at least Δ .



Ernst Mayr, Harald Räcke

11.3 Capacity Scaling

11. Apr. 2018

425/429

Capacity Scaling

1: **foreach** $e \in E$ **do** $f_e \leftarrow 0$;

 $G_f(\Delta) \leftarrow \Delta$ -residual graph

Capacity Scaling

Assumption:

All capacities are integers between 1 and C.

Invariant:

All flows and capacities are/remain integral throughout the algorithm.

Correctness:

Ernst Mayr, Harald Räcke

The algorithm computes a maxflow:

- **b** because of integrality we have $G_f(1) = G_f$
- therefore after the last phase there are no augmenting paths anymore
- this means we have a maximum flow.

Capacity Scaling

Lemma 11

There are $\lceil \log C \rceil + 1$ *iterations over* Δ .

Proof: obvious.

Lemma 12

Let f be the flow at the end of a Δ -phase. Then the maximum flow is smaller than $val(f) + m\Delta$.

Proof: less obvious, but simple:

- ▶ There must exist an s-t cut in $G_f(\Delta)$ of zero capacity.
- ▶ In G_f this cut can have capacity at most $m\Delta$.
- ▶ This gives me an upper bound on the flow that I can still add.



11.3 Capacity Scaling

11. Apr. 2018

428/429

Ernst Mayr, Harald Räcke

Capacity Scaling

Lemma 13

There are at most 2m augmentations per scaling-phase.

Proof:

- Let *f* be the flow at the end of the previous phase.
- $ightharpoonup \operatorname{val}(f^*) \le \operatorname{val}(f) + 2m\Delta$
- **Each** augmentation increases flow by Δ .

Theorem 14

We need $O(m \log C)$ augmentations. The algorithm can be implemented in time $\mathcal{O}(m^2 \log C)$.



11.3 Capacity Scaling

11. Apr. 2018

Ernst Mayr, Harald Räcke 429/429